


Angle Sections (unequal legs)
Ungleichschenklige Winkel
Cornieres a ailes inegales




STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G227	10	X 10,0	X 2	97
G235	12	X 12,0	X 3	170
G2	15	X 15,0	X 1,5	115
G25	15	X 15,0	X 2	151
G29	15	X 15,0	X 3	219
G23	20	X 10,0	X 1,5	115
G30	20	X 10,0	X 2	151
G120	20	X 15,0	X 2	178
G51	20	X 15,0	X 3	259
G3	20	X 20,0	X 1,5	156
G14	20	X 20,0	X 2	205
G33	20	X 20,0	X 3	300
G233	20	X 20,0	X 4	389
G194	20	X 30,0	X 5(R2)	598
G129	22	X 18,0	X 4	389
G135	22	X 22,0	X 3	332
G234	25	X 10,0	X 2	178
G215	25	X 15,0	X 1,5	156
G65	25	X 15,0	X 2	205
G22	25	X 15,0	X 3	300
G124	25	X 20,0	X 1,5	176
G24	25	X 20,0	X 2	232
G185	25	X 25,0	X 1,2	158
G20	25	X 25,0	X 1,5	196
G4	25	X 25,0	X 2	259
G190	25	X 25,0	X 2,7	345
G35	25	X 25,0	X 3	381
G163	30	X 10,0	X 2	205
G138	30	X 15,0	X 1,5	176
G27	30	X 15,0	X 2	232
G92	30	X 15,0	X 3	340
G6	30	X 20,0	X 1,5	196
G31	30	X 20,0	X 2	259
G32	30	X 20,0	X 3	381
G211	30	X 20,0	X 4	497
G89	30	X 25,0	X 2	286
G212	30	X 25,0	X 3	421
G204	30	X 28,0	X 2	302
G21	30	X 30,0	X 1,4	222
G5	30	X 30,0	X 2	313

STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G69	30	X 30,0	X 2,5	388
G188	30	X 30,0	X 2,7	418
G26	30	X 30,0	X 3	462
G83	30	X 30,0	X 4	605
G110	30	X 30,0	X 5	743
G58	35	X 15,0	X 2	259
G59	35	X 20,0	X 2	286
G93	35	X 20,0	X 3	421
G201	35	X 25,0	X 2	313
G52	35	X 25,0	X 3	462
G85	35	X 35,0	X 2	367
G66	35	X 35,0	X 3	543
G179	35	X 35,0	X 3,5	628
G168	35	X 35,0	X 4	713
G180	38	X 38,0	X 1,5	302
G82	38	X 38,0	X 3	591
G148	40	X 10,0	X 1,5	196
G173	40	X 10,0	X 2	259
G43	40	X 15,0	X 2	286
G8	40	X 20,0	X 2	313
G189	40	X 20,0	X 2,7	418
G78	40	X 20,0	X 3	462
G73	40	X 20,0	X 3,8	577
G79	40	X 20,0	X 4	605
G230	40	X 20,0	X 5	743
G1	40	X 25,0	X 2	340
G94	40	X 25,0	X 3	502
G74	40	X 30,0	X 2	367
G192	40	X 30,0	X 2,7	491
G38	40	X 30,0	X 3	543
G95	40	X 30,0	X 4	713
G62	40	X 30,0	X 5	878
G7	40	X 40,0	X 2	421
G191	40	X 40,0	X 2,7	564
G11	40	X 40,0	X 3	624
G15	40	X 40,0	X 4	821
G37	40	X 40,0	X 5	1013
G140	45	X 15,0	X 2	313
G45	45	X 20,0	X 2	340
G171	45	X 25,0	X 3	543



Angle Sections (unequal legs)
Ungleichschenklige Winkel
Cornieres a ailes inegales

EXALCO




STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G75	45 X 30,0	X 3	583	
G167	45 X 35,0	X 4	821	
G47	45 X 45,0	X 2	475	
G141	45 X 45,0	X 3	705	
G34	50 X 20,0	X 2	367	
G206	50 X 20,0	X 3	543	
G205	50 X 20,0	X 4	713	
G72	50 X 25,0	X 2	394	
G162	50 X 25,0	X 3	583	
G157	50 X 25,0	X 5	945	
G68	50 X 30,0	X 2	421	
G39	50 X 30,0	X 3	624	
G159	50 X 30,0	X 4	821	
G41	50 X 30,0	X 5	1013	
G147	50 X 35,0	X 4	875	
G181	50 X 40,0	X 2	475	
G96	50 X 40,0	X 3	705	
G132	50 X 40,0	X 4	929	
G225	50 X 40,0	X 5	1148	
G117	50 X 50,0	X 2	529	
G16	50 X 50,0	X 3	786	
G17	50 X 50,0	X 4	1037	
G12	50 X 50,0	X 5	1283	
G182	50 X 50,0	X 6	1523	
G143	50 X 50,0	X 10	2430	
G178	50,8 X 25,4	X 1,6	322	
G177	50,8 X 50,8	X 1,6	432	
G164	60 X 10,0	X 2	367	
G213	60 X 15,0	X 2	394	
G161	60 X 20,0	X 1,5	318	
G9	60 X 20,0	X 2	421	
G156	60 X 20,0	X 3	624	
G134	60 X 22,0	X 3	640	
G13	60 X 25,0	X 2	448	
G97	60 X 25,0	X 2,5	557	
G36	60 X 30,0	X 2	475	
G44	60 X 30,0	X 3	705	
G40	60 X 30,0	X 4	929	
G193	60 X 30,0	X 5	1148	
G175	60 X 30,0	X 6	1361	

STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G137	60 X 40,0	X 2	529	
G42	60 X 40,0	X 3	786	
G67	60 X 40,0	X 4	1037	
G127	60 X 40,0	X 5	1283	
G186	60 X 40,0	X 6	1523	
G86	60 X 60,0	X 2	637	
G111	60 X 60,0	X 2,5	793	
G49	60 X 60,0	X 3	948	
G60	60 X 60,0	X 4	1253	
G10	60 X 60,0	X 5	1553	
G87	60 X 60,0	X 6	1847	
G236	60 X 60,0	X 8	2419	
G229	70 X 15,0	X 2	448	
G174	70 X 20,0	X 2	475	
G125	70 X 20,0	X 3	705	
G184	70 X 25,0	X 2	502	
G98	70 X 25,0	X 2,5	624	
G170	70 X 30,0	X 3	786	
G231	70 X 40,0	X 2	583	
G224	70 X 50,0	X 5	1553	
G46	70 X 70,0	X 2,5	928	
G126	70 X 70,0	X 5	1823	
G112	70 X 70,0	X 6	2171	
G28	75 X 50,0	X 5	1620	
G81	76,5 X 51,0	X 6	1968	
G70	80 X 20,0	X 2	529	
G133	80 X 20,0	X 3	786	
G88	80 X 25,0	X 2	556	
G99	80 X 25,0	X 2,5	692	
G165	80 X 30,0	X 2	583	
G100	80 X 30,0	X 3	867	
G154	80 X 40,0	X 2	637	
G101	80 X 40,0	X 3	948	
G64	80 X 40,0	X 4	1253	
G142	80 X 40,0	X 5	1553	
G102	80 X 40,0	X 6	1847	
G48	80 X 45,0	X 2	664	
G202	80 X 50,0	X 3	1029	
G123	80 X 50,0	X 4	1361	
G76	80 X 60,0	X 6	2171	



Angle Sections (unequal legs)
Ungleichschenklige Winkel
Cornieres a ailes inegales



STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G55	80	80,0	3	1272
G113	80	80,0	4	1685
G166	80	80,0	5	2093
G114	80	80,0	6	2495
G63	80	80,0	8	3283
G50	80	80,0	10	4050
G238	80	80,0	12	4795
G19	85	30,0	2	610
G172	90	50,0	10	3510
G160	90	60,0	6	2333
G149	90	70,0	1,8	769
G210	90	70,0	2,5	1063
G18	98	58,0	8	3197
G90	100	20,0	2	637
G187	100	25,0	2	664
G232	100	30,0	2	691
G103	100	30,0	3	1029
G223	100	40,0	2	745
G121	100	40,0	3	1110
G105	100	40,0	4	1469
G217	100	50,0	2	799
G106	100	50,0	3	1191
G84	100	50,0	5	1958
G107	100	50,0	6	2333
G216	100	50,0	8	3067
G91	100	50,0	10	3780
G53	100	60,0	6	2495
G218	100	70,0	2	907
G130	100	80,0	6	2819
G131	100	80,0	8	3715
G115	100	100,0	4	2117
G158	100	100,0	5	2633
G116	100	100,0	8	4147
G61	100	100,0	10	5130
G151	110	30,0	2	745
G228	120	20,0	2	745
G144	120	20,0	2,5	928
G237	120	30,0	1,5	601
G122	120	40,0	3	1272
G214	120	40,0	4	1685

STANDARD PROFILES (G)

No Profil	A	B	S	gr/m
G57	120	50,0	5	2228
G54	120	60,0	2	961
G56	120	60,0	6	2819
G119	120	60,0	8	3715
G71	120	80,0	2,5	1333
G80	120	80,0	3	1596
G183	120	80,0	6	3143
G136	120	80,0	10	5130
G155	120	120,0	2,5	1603
G139	120	120,0	8	5011
G153	120	120,0	10	6210
G104	130	30,0	3	1272
G145	130	80,0	6	3305
G128	135	25,0	3	1272
G221	140	20,0	3	1272
G108	140	40,0	3	1434
G169	140	40,0	4	1901
G219	140	40,0	6	2819
G203	150	50,0	4	2117
G220	150	50,0	5	2633
G222	150	50,0	8	4147
G146	150	75,0	8	4687
G77	150	100,0	5	3308
G118	160	35,0	5	2565
G207	160	40,0	3	1596
G152	160	60,0	8	4579
G150	160	80,0	12	7387
G208	180	40,0	3	1758
G176	180	80,0	10	6750
G226	180	150,0	6	5249
G209	200	40,0	3	1920
G109	200	100,0	10	7830